

5

10

METHOD AND SYSTEM FOR DERIVING AND MATCHING LOCAL FORMATTING IN AN ELECTRONIC DOCUMENT

15

FIELD OF THE INVENTION

20 The present invention relates to deriving and matching local formatting in an electronic document and specifically to evaluating electronic document formatting attributes and applying formatting attributes of a region of text in an electronic document to a selection of text characters that is placed into the region of text.

BACKGROUND OF THE INVENTION

25 Electronic document editors are widely used in homes and businesses today. Familiar examples of these editors include word processing applications that operate on personal computers (PCs) and note-taking applications that operate on personal data assistants (PDAs). These applications strive to replace paper as the simplest means to record and communicate information. Computer technology provides these applications
30 with advantages over paper, including the capability to vary the format of characters in a document.

A typical electronic document editor may contain a number of styles that define the format of content in an electronic document. For example, a style may define the font size, font face, font color, line spacing, and indentation of text characters entered in a
35 location of the electronic document. The style may also include other formats, such as whether the characters should be presented in a bold font face, italic font face, underlined, or be struck through.

5 A user may be able to define a localized style. In this case, characters affected by
this localized style may exhibit the characteristics of a specific style contained in the
electronic editor in combination with some additional attribute or attributes. For
example, a style contained in the electronic document editor may define the attributes of
document content as font size 12 point, font face Times New Roman, color black, and
10 single line spacing. At a specific location, a user may define a different or additional
attribute, such as a text color other than black or a bold font face. A typical electronic
document editor may define these localized attributes as a new style. An electronic
document may contain many different styles, reflecting a combination of general and
localized formatting. As such, tracking all of these styles increases the overhead of the
15 electronic document editor computer application, which reduces the processing efficiency
of the electronic document editor. Also, a user may emphasize one or more characters by
applying a direct format, also referred to herein as an emphasis format. In this case, a
user might use a specific formatting to make these one or more characters stand out, such
as bold, italics, underlining, or a color different from the color of surrounding characters.

20 One strength of an electronic document editor is the capability to move or copy
content from one part of the electronic document to another part or to another electronic
document. However, cutting or copying content from one point in the document and
pasting it at another point poses a problem in managing the many different styles in the
electronic document. An issue is what formatting attributes should the pasted content
25 have.

Certain electronic document editors currently available allow a user to choose
whether the content cut or copied from a source location and pasted at a destination
location should retain the formatting the content had at the source location or take on the
formatting attributes at the destination location. The source location attributes are those
30 attributes of the cut or copied text, without consideration of the formatting attributes of
the text near the cut or copied text. The destination location formatting attributes are
typically those attributes for the text characters after the insertion point, which marks the
location where the cut or copied content is to be pasted.

5 This typical approach provides a very limited evaluation of the format attributes at
the content source and destination locations. One reason for this limited evaluation is
that computer processor limitations made a more extensive evaluation of format attributes
in an electronic document undesirable. This extensive evaluation would cause a
significant delay between the time a user initiates a paste operation and the time the
10 operation is completed. However, with the increase in computer processor performance,
this limitation is no longer an issue.

What is needed is a method for determining the format attributes at a region of an
electronic document from which content has been cut or copied and the format attributes
at a region of an electronic document to which the cut or copied content will be pasted
15 and applying format attributes as determined by the method to the pasted content, along
with any direct formatting characteristics.

SUMMARY OF THE INVENTION

20 The present invention provides a computer-implemented method for determining
the format attributes at a region of an electronic document from which content has been
cut or copied and the format attributes at a region of an electronic document to which the
cut or copied content will be pasted and applying format attributes as determined by the
method to the pasted content.

25 In one aspect of the present invention, a computer-implemented method for
determining and applying format attributes to content in an electronic document is
disclosed. This method includes determining a set of format attributes associated with a
region of content in the electronic document where a portion of that region is selected.
The method also determines a set of format attributes associated with a second region of
content in the electronic document, where this second region includes a destination for
30 the selected content from the first region. The method also compares the first set of
format attributes with the second set of format attributes and applies to the selected
content those format attributes of the second set that differ from the attributes of the first

5 set in response to placing the selected content at a location in the second region of content.

In another aspect, a system for determining and applying one or more format attributes to content in an electronic document is provided. This system includes a copy module operable to place a portion of content at a destination for the portion of content in
10 the electronic document and a format module, operable to determine and apply format attributes associated with regions of content within the electronic document, where these regions may include a source location where the portion of content is cut or copied and a destination location where the portion of content is pasted. Before applying the formatting attributes to the content, the format module may compare the format attributes
15 such that the format module applies format attributes of the destination region that differ from the format attributes of the source region.

In yet another aspect, a computer-implemented method for determining one or more format attributes for content of an electronic document is provided. This method includes determining each of the format attributes associated with a region of content of
20 the electronic document, where this region includes selected content to be cut or copied. The method also includes determining if any of the portion of content to be cut or copied contains direct formatting attributes; and recording the format attributes and the direct formatting attributes associated with the portion of content.

In yet another aspect, a computer-implemented method for applying direct format attributes to content of an electronic document is provided. The method includes
25 determining a set of format attributes associated with a region of content that includes a portion of content to be copied. The method also includes determining a set of format attributes associated with a region of content that includes a location into which the portion of content is to be pasted. The method determines if any of the portion of content
30 contains direct formatting attributes and applies direct formatting attributes to the portion of content in response to pasting the portion of content at the location.

In yet another aspect, a computer-implemented method for determining and applying one or more format attributes to content cut or copied from one document and

5 placed into a second document is provided. The method includes determining a set of
format attributes associated with a region of content that contains a portion of content to
be cut or copied from one electronic document and determining a second set of format
attributes associated with a second region of content for a second electronic document,
where the second region of content contains a destination for the portion of content. The
10 method compares the first set of format attributes with the second set of format attributes
and applies to the portion of content those format attributes of the second set of format
attributes that differ from the first set of format attributes in response to placing the
portion of content at the location of the second electronic document.

The aspects of the present invention may be more clearly understood and
15 appreciated from a review of the following detailed description of the disclosed
embodiments and by reference to the drawings and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram illustrating a representative operating environment for
20 an exemplary embodiment of the present invention.

Figure 2 is a block diagram depicting the primary functional components of an
exemplary electronic document editor and related input devices.

Figure 3 is a flow diagram presenting a process for evaluating and applying
format attributes associated with an electronic document in accordance with an
25 exemplary embodiment of the present invention.

Figure 4 is a flow diagram presenting a process for determining format attributes
associated with a region containing selected content to be cut or copied in an electronic
document in accordance with an exemplary embodiment of the present invention.

Figure 5 is a flow diagram presenting a process for determining format attributes
30 associated with a region containing a location to which cut or copied content is to be
pasted in an electronic document in accordance with an exemplary embodiment of the
present invention.

5 Figure 6 is a flow diagram presenting a process for applying local formatting to
pasted content in accordance with an exemplary embodiment of the present invention.

 Figure 7 is a flow diagram presenting a process for applying direct formatting to
pasted content in accordance with an exemplary embodiment of the present invention.

 Figure 8a is a display image depicting two regions of text such as a source region
10 and a destination region in accordance with an exemplary embodiment of the present
invention.

 Figure 8b is a display image depicting text selected to be copied from a source
region in accordance with an exemplary embodiment of the present invention.

 Figure 8c is a display image depicting text pasted into a destination region in
15 accordance with an exemplary embodiment of the present invention.

 Figure 9a is a display image depicting two regions of text within outline objects
such as a source region and a destination region in accordance with an exemplary
embodiment of the present invention.

 Figure 9b is a display image depicting text selected to be copied from a source
20 region of an outline object in accordance with an exemplary embodiment of the present
invention.

 Figure 9c is a display image depicting text pasted into a destination region of an
outline object in accordance with an exemplary embodiment of the present invention.

25 DETAILED DESCRIPTION OF THE EXEMPLARY EMBODIMENTS

 Exemplary embodiments of the present invention support a computer-
implemented method for determining the format attributes at a region of an electronic
document from which content has been cut or copied and the format attributes at a region
of an electronic document to which the cut or copied content will be pasted and applying
30 format attributes as determined by the method.

 Figure 1 illustrates a representative operating environment 100 for an exemplary
embodiment of the present invention. This representative operating environment

5 includes a general-purpose computing device in the form of a conventional personal computer 101. Generally, the personal computer 101 includes a processing unit 120, a system memory 104, and a system bus 102 that couples system components including the system memory 104 to the processing unit 120. The system bus 102 may be any of several types of bus structures including a memory bus or memory controller, a
10 peripheral bus, and a local bus using any bus architecture. The system memory includes a read-only memory (ROM) 106 and a random access memory (RAM) 110. A basic input/output system (BIOS) 108, containing the basic routines that help to transfer information between elements within personal computer 101, such as during start-up, is stored in ROM 106.

15 Personal computer 101 further includes a hard disk drive 128, a floppy disk drive 132 for reading from or writing to a removable magnetic disk 134, and an optical disk drive 138 for reading from or writing to a removable optical disk 140 such as a CD-ROM or other optical media. Hard disk drive 128, magnetic disk drive 132, and optical disk drive 138 are connected to system bus 102 by a hard disk drive interface 120, a floppy
20 disk drive interface 130, and a CD-ROM disk drive interface 136, respectively. Although the exemplary environment described herein employs hard disk 128, removable magnetic disk 134, and removable optical disk 140, it should be appreciated by those skilled in the art that other types of computer readable media that can store data that is accessible by a computer, such as magnetic cassettes, flash memory cards, digital video disks, Bernoulli
25 cartridges, RAMs, ROMs, and the like, may also be used in the exemplary operating environment. The drives and their associated computer-readable media provide nonvolatile storage of computer-executable instructions, data structures, program modules, and other data for personal computer 101.

A number of program modules may be stored on hard disk 128, magnetic disk
30 134, optical disk 140, ROM 106, or RAM 110, including an operating system 112, an electronic document editor 114, and multiple application programs 116-118. A representative embodiment of a document editor is disclosed in more detail below in connection with Figure 2. Program modules typically include routines, sub-routines,

5 programs, objects, components, data structures, etc., that perform particular tasks or implement particular abstract data types.

A user may enter commands and information into personal computer **101** through input devices, such as a keyboard **146** and a pointing device, such as mouse **144**. Pointing devices may also include a trackball (not shown) and an electronic pen or stylus
10 (not shown) that can be used in conjunction with an electronic tablet or a typical display screen. Other input devices (all not shown) may include a microphone, joystick, game pad, satellite dish, scanner, or the like. These and other input devices are often connected to processing unit **120** through a serial port interface **142** that is coupled to the system bus
15 **102**, but may be connected by other interfaces, such as a parallel port, game port, a universal serial bus (USB), or the like. A display device, such as monitor **124**, may also be connected to system bus **102** via an interface, such as a video adapter **122**. The monitor **124** may display images generated by an application program, such as an electronic document editor **114**, and comprise a GUI by which a user can input information to the application program and the application program can communicate
20 information to a user. In addition to the monitor **124**, personal computers typically include other peripheral output devices (not shown), such as speakers and printers.

The personal computer **101** may operate in a networked environment using logical connections to one or more remote computers **154**. Remote computer **154** may be another personal computer, a server, a client, a router, a network PC, a peer device, or
25 other common network node. While a remote computer **154** typically includes many or all of the elements described above relative to the personal computer **101**, only a memory storage device **156** has been illustrated in Figure 1. The memory storage device **156** may include application program **158** and application program **160**. The logical connections depicted in Figure 1 include a local area network (LAN) **152** and a wide area network
30 (WAN) **162**. Such networking environments are commonplace in offices, enterprise-wide computer networks, intranets, and the Internet.

When used in a LAN networking environment, the personal computer **101** is often connected to the local area network **152** through a network interface or adapter **150**.

5 When used in a WAN networking environment, the personal computer **101** typically includes a modem **148** or other means for establishing communications over WAN **162**, such as the Internet. Modem **148**, which may be internal or external, is connected to system bus **102** via serial port interface **142**. It will be appreciated that the network connections shown are exemplary and other means of establishing a communications link
10 between the computers may be used.

Moreover, those skilled in the art will appreciate that the present invention may be implemented in other computer system configurations, including PDAs, electronic writing tablets, multiprocessor systems, microprocessor-based or programmable consumer electronics, network person computers, minicomputers, mainframe computers,
15 and the like. The invention may also be practiced in distributed computing environments, where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote memory storage devices.

Figure 2 is a block diagram depicting the primary functional components of an exemplary electronic document editor and related input devices for the representative
20 operating environment of an electronic writing tablet, otherwise described as an electronic tablet. Specifically, Figure 2 depicts an architecture **200** for an electronic writing tablet in the context of an electronic document editor constructed in accordance with an exemplary embodiment of the present invention. Conventional input devices are represented by the keyboard **260** and the pointing device **265** (*e.g.*, mouse, trackball).
25 Other output devices (not shown) can include a printer or speaker. Other hardware components shown in Figure 2 include an electronic tablet **250** and an accompanying stylus **255**. The tablet **250** and stylus **255** are used to input handwriting strokes that can be converted to data, referred to as electronic ink. The electronic ink may be
30 incorporated into an electronic document **220** and may be displayed on either the electronic tablet **250**, the monitor **270**, or both. Although the electronic tablet **250** and the monitor **270** are illustrated as being distinct, in an exemplary embodiment of the present invention, they can be integrated into a single component. The joint tablet/monitor

5 component has the ability to display information and receive input from the stylus **255**. In other words, the joint tablet/monitor component has the ability to provide a GUI for interacting with the document editing module **205**.

10 In the representative architecture **200**, an ink-processing module **225** is operable to receive data from the electronic tablet **250** and to render that data as electronic ink. In one embodiment of the present invention, the ink-processing module **225** can be a collection of software modules that perform different tasks for rendering handwriting strokes as electronic ink. For example, the stylus and ink module **228** can receive data describing the positions and angles of the stylus for a series of handwriting strokes. The stylus and ink module **228** can interpret the data for rendering electronic ink. Other
15 software modules, such as a gesture recognizer **230** and word recognizer **235** can be designed to identify certain handwriting strokes and assign them a particular significance. For example, certain gestures such as a cross-out may be recognized and associated with other editing processes. The ink-processing module **225** can also include an erasing functions module **240** for removing electronic ink that has been previously rendered.

20 Although ink processing modules are known in the art and necessary for an electronic tablet to function, a novel document editing module has been developed by Microsoft Corporation of Redmond, Washington that capitalizes on the benefits of handwriting processing technology. The module (i.e., document editor) is a free-form document editor that leverages the functionality of electronic handwriting technology to
25 enable more effective and efficient note taking. Specifically, document editing module **205** facilitates manipulating electronic ink so that a user can create and modify an electronic document **220** with greater ease and sophistication. The document editing module **205** typically comprises a collection of software modules for controlling and manipulating electronic ink rendered on the monitor **270**.

30 The exemplary electronic document editor also includes a copy module **210** and a format module **215**. The exemplary copy module **210** performs operations associated with cutting or copying of content from one location in an electronic document, a source location, and pasting the content into a destination location, representing a location in an

5 electronic document where the user wants to move or add the cut or copied content. In
response to a user selecting content at a source location, such as with a pointing device
265, stylus 255, or keyboard 260, and initiating a cut or copy operation, such as by
actuating a control on a toolbar or selecting an item in a menu, the copy module 210 will
either remove the selected content from the source location, in the case of a cut operation,
10 or copy the selected content, in the case of a copy operation. As such, although the
module is termed here a “copy” module, this module will also perform operations
associated with cutting textual content and pasting content at a specific location. Then, in
response to a user initiating a paste command, such as by actuating a control on a toolbar
or selecting an item in a menu, the copy module 210 will add the cut or copied content at
15 a destination location, indicated by the location of an insertion point within an electronic
document. This insertion point may be in a different electronic document. In other
words, the content may be cut or copied from one electronic document and pasted into
another electronic document. These different electronic documents may both be
generated by a word processing type application or another type of computer application
20 that includes text content, such as a spreadsheet or presentation program.

The exemplary format module 215 provides the formatting attributes for the
content of an electronic document 220. For example, when content is entered into an
electronic document, the format module 215 assigns format to the content. This format
may be based on a predetermined default set of format attributes. This default set of
25 attributes may be determined by a user or by an electronic document editor 114 (Figure 1).
Alternatively, a user may select a format attribute to apply to a specific set of content.

Similarly, the format module 215 may apply formatting to one or more selected
characters in response to a user initiating a format command, such as by selecting a
button on a toolbar or selecting an option in a menu. For example, a user may select one
30 or more characters representing a word and initiate a command to make the formatting
characteristics of that word include bolding.

When content is cut or copied from an electronic document and pasted into
another section of the electronic document or a different electronic document, the format

5 module **215** may assign formatting attributes to the content, perhaps based on the formatting at the source or destination locations.

Exemplary embodiments of the present invention relate most directly to formatting cut or copied text when pasted in an electronic document **220**. Figures 1 and 2 provide a general overview of the environments in which the inventors contemplate exemplary embodiments of the present invention will be used. However, one skilled in the art will recognize that the present invention may operate on any computer system that could support an electronic document editor **114** (Figure 1).

Figure 3 is a flow diagram presenting a process **300** for evaluating and applying format attributes associated with an electronic document **220** in accordance with an exemplary embodiment of the present invention. Two types of formatting are evaluated and applied. Local formatting corresponds to the general formatting attributes of the content of the electronic document **220** at either a source location, that is, the location of the selected and cut or copied content, or a destination location, that is, a location where the cut or copied content is pasted. Direct formatting corresponds to the formatting attributes of the cut or copied content to be cut or copied that are associated with emphasizing some or all of the cut or copied content. Figures 8a-8c and 9a-9c, discussed below, illustrate examples of local and direct formatting.

Referring to Figures 2 and 3, at step **310**, a user selects content from an electronic document **220** and initiates a cut/copy/paste operation on the content by either actuating a button on a toolbar or selecting an item in a menu, such as with a pointing device **265** or keyboard **260**.

At step **320**, the copy module **210** receives the indication to cut or copy the selected content. At step **330**, the formatting module **215** determines local and direct formatting for all format types for a region that includes the location of the selected content, the source location region. This step is discussed in greater detail below in conjunction with Figure 4.

At step **340**, the user places the insertion point at a location that will receive the cut or copied content and initiates a paste command. This location may be within the

5 same electronic document **220** from which it was cut or copied or a different electronic document. At step **350**, the formatting module **215** determines the local formatting for all format types at the destination location region, that is, the location around the insertion point. This step is discussed in greater detail below in conjunction with Figure 5.

10 In this exemplary embodiment, the source location region may include a greater amount of content in the electronic document **220** than simply the cut or copied selected content. In this way, the local and direct formatting determined at step **330** is not based only on the formatting attributes of the selected content. In other words, the selected content is a subset of the source location region used to determine local and direct formatting of the source location region. Similarly, a destination location region includes
15 a greater amount of content than the insertion point. As such, the local formatting for the destination location region determined at step **350** is not based only on the formatting attributes just before or just after the insertion point. In other words, the insertion point location is a subset of the destination location region used to determine the local formatting associated with the destination location region.

20 At step **360**, the formatting module **215** compares local formatting between the source location region, as determined at step **330**, and the destination location region, as determined at step **350**. For example, the local formatting at the source location may have a font face of Arial, a font size of 10 point, and a color of black. The destination location may have a font face of Times New Roman, a font size of 10 point and a color of
25 black and be italicized. At step **360**, the formatting module **215** compares the format attributes involved, in this example font face, font size, color, and italics, for the source location and destination location for each of these format attributes and record, on a dynamic style sheet, the differences between the sets of local formatting attributes.

30 At step **370**, the formatting module **215** applies the differences between the local formatting at the destination location and the source location to the pasted text. This step is discussed in greater detail below in conjunction with Figure 6. At step **380**, which is discussed in greater detail below in conjunction with Figure 7, the formatting module **215** applies direct formatting to the pasted content.

5 At step 390, the copy module 210 pastes the content at the destination location such that the content is formatted as applied to the content in steps 370 and 380. At step 399, the process 300 ends.

10 Figure 4 is a flow diagram presenting a process 330 for determining format attributes associated with a region containing selected content to be cut or copied in an electronic document 220 in accordance with an exemplary embodiment of the present invention. Referring to Figures 2, 3, and 4, at step 410, the formatting module 215 determines the region for evaluating the local formatting of the content selected at step 310. This region may be the paragraph that contains the selected content or may include multiple paragraphs in either direction of the selected content. Generally, the source location region will include a greater amount of content than the cut or copied content. If the selected content is within an outline object, the region could be that outline object or all of the outline objects within a certain distance of the outline object containing the selected content. The document editing module 205 may define the distance that is evaluated when determining the region at step 410 or a user may define the region, such as by selecting an option in a menu.

20 Alternatively, the region may be defined by the level that the selected content is at in an outline object. Outline objects may have multiple levels of content, with each level indicated by how the content is indented relative to a fixed edge of the outline object. For example, for outline objects containing English text, the indented content may be relative to a left edge of the outline object. For languages that read right-to-left, the indented content may be indented relative to a right edge of an outline object. In these cases, the region determined at step 410 may be all of the content at a given level in one or more outline objects. Figure 9a, discussed below, illustrates outline object levels.

25 One skilled in the art would appreciate that this region could be a variety of different sizes. One skilled in the art would also appreciate that the larger the region, the slower the copy and paste operation may be performed by the central processing unit 120 (Figure 1).

5 At step **420**, the formatting module **215** determines the local formatting for a specific format type, such as font face within the source location region. The local formatting is the formatting attribute that is characterized by more than fifty percent of the content in the region determined at step **410**. For example, if sixty percent of the content in the region is type face Times New Roman, twenty percent of the content in the region is Arial, and twenty percent of the content in the region is Courier, then the local formatting for the type face attribute is Times New Roman. If the format type in the region is not characterized by more than fifty percent of a single attribute, then the format type is mixed. For example, the type face format type would be mixed if the region has forty percent Times New Roman, thirty percent Arial, and thirty percent Courier. One skilled in the art would appreciate that alternative rules may be developed, such as assigning the format type the attribute with the largest percentage within a determined region.

20 At step **430**, the formatting module **215** records the format for the region for that format type on a dynamic style sheet. For example, if the font face format type for the region was more than fifty percent Times New Roman, then “Times New Roman” would be recorded on the dynamic style sheet for the font face format type. If the region has a mixed font face, then “mixed” would be indicated on the dynamic style sheet.

25 At step **440**, the process **330** determines if the format type under consideration is an emphasis format type. Emphasis format types include font size, bold, italics, underline, and color. One skilled in the art would appreciate that a different set of format types may be designated as emphasis format types. If the result at step **440** is “No,” then the process **330** moves to step **470**.

30 A user may apply emphasis formatting to make some content in an electronic document **220** stand out when viewed on a GUI displaying the electronic document **220** or a printed document version of the electronic document **220** as compared to the content surrounding the emphasized content. Certain format types are typically used to provide emphasis for content. For example, if a user wants to emphasize a word in a sentence, and the content that makes up the sentence has format attributes that include no bolding

5 and no italics, the user may apply the bolding or italics format attribute to the word to emphasize that word relative to the rest of the sentence. Figures 8a-8c and 9a-9c, discussed below, illustrate examples of emphasis formatting.

10 If the format type is an emphasis format, that is, the result at step 440 is “Yes,” the process 330 moves to step 450 and the format module 215 determines the differences between the local formatting determined at step 420 and recorded at step 430 and the formatting of the content selected at step 310 for that format type. For example, if the format type being evaluated is bold and the local format is unbolded content, the selected text is evaluated for content that is bolded. In this step, the format module 215 determines which characters, if any, in the cut or copied content are being emphasized.
15 That is, which characters have format characteristics that differ from the local formatting at the source selection location and may be indicative of a user applying that format to emphasize the characters in the content.

20 At step 460, the format module 215 marks the content with direct formatting. For example, if the format type being evaluated is bold and the local format is unbolded content and the selected content contains one or more bolded characters, then the format module 215 marks the characters as having direct, or emphasis, formatting consisting of bolding. This marking step is accomplished by recording on a dynamic style sheet that the characters have direct formatting.

25 At step 470, the process 330 determines if all format types have been evaluated. If the result at step 470 is “No,” the process 330 returns to step 420 to evaluate the next format type. A list of format types may include font face, font size, bold, italics, underline, strikethrough, color, line spacing, and indent characteristics. If the result at step 470 is “Yes,” the process moves to step 340 in process 300.

30 Figure 5 is a flow diagram presenting a process 350 for determining format attributes associated with a region containing a location to which cut or copied content is to be pasted in an electronic document 220 in accordance with an exemplary embodiment of the present invention. Referring to Figures 2, 3, and 5, at step 510, the formatting module 215 determines the region for evaluating the local formatting of the destination of

5 the pasted content. This region may be the paragraph that contains the insertion point, which indicates the destination location where the content will be pasted, or added, or may include multiple paragraphs in either direction of the insertion point. If the insertion point is within an outline object, the region could be that outline object or all of the outline objects within a certain distance of the outline object containing the insertion
10 point. The document editing module **205** may define the distance that is evaluated when determining the region at step **510** or a user may define the region, such as by selecting an option in a menu.

Alternatively, the region may be defined by the level that the insertion point is at in an outline object. Outline objects may have multiple levels of content, with each level
15 indicated by how the content is indented relative to a fixed edge of the outline object. For example, for outline objects containing English text, the indented content may be relative to a left edge of the outline object. For languages that read right-to-left, the indented content may be indented relative to a right edge of an outline object. In these cases, the region determined at step **510** may be all of the content at a given level in one or more
20 outline objects.

At step **520**, the formatting module **215** determines the local formatting for a specific format type, such as font face in the destination location region. The local formatting is the formatting attribute that is characterized by more than fifty percent of the content in the region determined at step **510**. If the format type in the region does not
25 have more than fifty percent a single attribute, then the format type is mixed. One skilled in the art would appreciate that alternative rules may be developed, such as assigning the format type the attribute with the largest percentage within a determined region. In this exemplary embodiment, the rule at step **520** is the same as the rule at step **420**, but one skilled in the art will appreciate that the two rules could be different.

30 At step **530**, the formatting module **215** records the format for the region for that format type on a dynamic style sheet. For example, if the font face format type for the region was more than fifty percent Times New Roman, then Times New Roman would

5 be recorded on the dynamic style sheet for the format type font face. If the region has a mixed font face, then mixed would be indicated on the dynamic style sheet.

At step 540, the process 350 determines if all format types have been evaluated. If the result at step 540 is "No," the process 350 returns to step 520 to evaluate the next format type. A list of format types may include font face, font size, bold, italics,
10 underline, strikethrough, color, line spacing, and indent characteristics. If the result at step 540 is "Yes," the process moves to step 360 in process 300.

Figure 6 is a flow diagram presenting a process 370 for applying local formatting to pasted content in accordance with an exemplary embodiment of the present invention. Referring to Figures 2, 3, and 6, at step 610 the format module 215 evaluates a character
15 of the selected content, beginning with the first character of the content. At step 620, the format module 215 determines if the character evaluated at step 610 is marked with direct formats. If the result at step 620 is "Yes," then the process 370 moves to step 640, where the character being evaluated is skipped and the process 370 moves to step 650.

If the result at step 620 is "No," then, at step 630, the format module 215 applies
20 the local format of the destination region to the character if the destination local formatting is different from the source location local formatting, as determined at steps 330, 350, and 360. If the formatting for a specific format type is mixed at the destination location, then no formatting is applied to the character at step 630. In other words, the character retains the formatting it had when it was selected and cut or copied.

At step 650, the format module 215 determines if all of the characters in the cut or
25 copied content have been evaluated. If the result at step 650 is "No," then the process 370 returns to step 610 and the next character in the content is evaluated. If the result at step 650 is "Yes," then the process 370 moves to step 380 in process 300. The process 370 has been described as starting with the first character of the copied or cut content and
30 evaluating each character in succession. One skilled in the art would appreciate that the evaluation can be performed in any order, as long as the entire content is evaluated.

Figure 7 is a flow diagram presenting a process 380 for applying direct formatting to pasted content in accordance with an exemplary embodiment of the present invention.

5 Figures 2, 3, and 7, at step 710 the format module 215 evaluates a character of the selected content, beginning with the first character of the content. At step 720, the format module 215 determines if the character evaluated at step 710 is marked with direct formats. If the result at step 720 is “Yes,” then the process 380 moves to step 730. Otherwise, the process 380 moves to step 750.

10 At step 730, the format module 215 determines the appropriate direct formatting for the character. Direct formatting is applied to characters marked with direct formatting at step 330. These characters are marked with direct formatting to indicate that the format module 215 determined that these characters were being emphasized.

 For example, at the source location, the local formatting may be Arial font face and not italicized, at the destination location the local formatting may be Times New Roman font face and italicized, and the cut or copied content may include a word that is italicized. Since the local formatting at the source was non-italics, then, at step 330, the italicized word in the cut or copied content would have been marked for direct formatting. Since the destination formatting includes italics, then, at step 730, the format module 215 would determine that the appropriate direct formatting is non-italics. The reason for this determination is that the format module 215 determines that the italicized word in the cut or copied content was italicized for emphasis, as compared to the non-italicized words that make up the majority of the content in the source location region. Since the majority of the content at the destination location region in this example contains italicized content, then the format module 215 determines that a non-italicized word would be emphasized at the destination location. This process is illustrated below, in conjunction with Figures 8a-8c and Figures 9a-9c.

 Similar to the italics example presented above, at step 730, the format module 215 may determine what format characteristic constitutes emphasized content for format types such as bold, font size, color, and underlining. For example, if certain characters in the cut or copied content are larger than the source local formatting, then, at step 730, the format module 215 will determine what size to make those characters given the local formatting at the destination location.

5 For those format attributes that the format module determines does not contribute to the direct formatting, the format module **215** applies the local formatting of the destination region, if different from the local format of the source region.

At step **740**, the format module **215** applies the direct formatting to the character, as determined in step **730**. At step **750**, the format module **215** determines whether all
10 characters have been evaluated. If the result at step **750** is ‘No,’ then the process **380** returns to step **710**. If the result at step **750** is ‘Yes,’ the process **380** moves to step **390** in process **300**. The process **380** has been described as starting with the first character of the copied or cut content and evaluating each character in succession. One skilled in the art would appreciate that the evaluation can be performed in any order, as long as the
15 entire content is evaluated.

Processes **370** and **380** have been presented as occurring in series. One skilled in the art would appreciate that they could be accomplished in parallel, with the local and direct formatting being applied, as appropriate, to a character before the next character is evaluated.

20 Figures **8a-8c** and **9a-9c** illustrate display images that depict the progression of steps for process **300** (Figure **3**). Figure **8a** is a display image **800** depicting two regions of text such as a source region **810** and a destination region **850** within an electronic document **220** in accordance with an exemplary embodiment of the present invention. Referring to Figure **8a**, the source region **810** includes a paragraph of text. The text
25 includes a word **820**, “black.” The word **820** has formatting attributes that include being bolded and italicized. The source region **810** also includes a word **830**, “italic,” and a word **840**, “bold,” which have formatting attributes that include being underlined.

The destination region **850** includes text, such as word **860**, which has the formatting attribute of being italicized. The destination region **850** also includes a phrase
30 **870**, “18 point,” which has the formatting attribute of being underlined and a word **880**, “italicized,” which has the format attribute of not being italicized.

Figure **8b** is a display image **900** depicting text selected to be cut or copied from a source region **810** in accordance with an exemplary embodiment of the present invention.

5 Referring to Figures 2, 3, and 8b, a portion **910** of the content of the source region **810** has been selected, such as by a pointing device **265**, in accordance with step **310** of the exemplary process **300**. In the example of Figure 8b, the user initiates a copy operation, by actuating a button on a toolbar or selecting an entry in a menu. In response to this operation, the format module **215** determines, at step **330** of process **300**, the local and
10 direct formatting associated with the selected text **910**.

In this example, one hundred percent of the content in region **810**, the source region, has font face Arial, font size 18 point, and color black. Greater than fifty percent of the content in source region **810** is not italicized, not bolded, and not underlined. This characterization is the local formatting for the source region **810**. The direct formatting
15 of the selected text **910** is associated with the characters in the word **820**. These characters are bolded and italicized. Since the local formatting in the source region **810** is not italicized and not bolded, the format module **215** identifies the characters in the word **820** as emphasized, that is, they have direct formatting.

Once the user has performed the copy operation on the selected text **910**, the
20 insertion point **920** is placed at a location that will receive the copied text **910**. In this example, the insertion point **920** is placed in the destination region **850**. The user would then initiate a paste command, such as by actuating a button on a toolbar or selecting an item in a menu.

In accordance with our exemplary process **300**, in response to the paste command,
25 the format module **215** determines the local format for the destination region **850**. In this example, one hundred percent of the content of the destination region **850** is font face Times New Roman, font size 18 point, and color black. Greater than fifty percent of the content of the destination region **850** is italicized, not bolded, and not underlined. As such, the local formatting for the destination region **850** is font face Times New Roman,
30 font size 18, black color, italicized, not bolded, and not underlined.

When the local formats for the source region **810** and destination region **850** are compared, as is done at step **360** of the exemplary process **300**, the differences between the source region **810** and destination region **850** include the font face and italics.

5 Figure 8c is a display image 1000 depicting text pasted into a destination region 850 in accordance with an exemplary embodiment of the present invention. Referring to Figures 2, 3, and 8c, in the display image 1000, a sentence 1010, which corresponds to the selected text 910 (Figure 8b), has been inserted into the destination region 850 at the insertion point 920 (Figure 8b).

10 In accordance with the exemplary process 300, the format module 215 applied the format attributes of the destination that were different then the format attributes of the source to the pasted sentence 1010. The font face of Times New Roman, the font face format attribute of the destination region 850, was applied to the characters of the sentence 1010 that were not marked with direct formatting, since the font face attribute of
15 the destination region 850 was different from the font face attribute of the source region 810. Similarly, the italics format attribute was applied to the characters of the sentence that were not marked with direct formatting.

 The characters of the word 1020 were marked with direct formatting. In this example, the format module 215 determined that the emphasis of the selected word 820
20 (Figure 8a), which was bold and italicized when in the source region 810, should be bold and not italicized. As can be seen in display image 1000, the word 1020 is emphasized compared to the surrounding words in sentence 1010 and the rest of the content in the destination region 850. Also, the format module 215 applied the font face of Times New Roman, since the format module 215 determined that this attribute was not associated
25 with the emphasis of the word 1010 and this attribute was different in the destination region 850 as compared to the source region 810.

 Figure 9a is a display image 1100 depicting two regions of text within outline objects such as a source region 1110 and a destination region 1170 in accordance with an exemplary embodiment of the present invention. Referring to Figure 9a, the source
30 region 1110 and destination region 1170 represent outline objects within an electronic document 220. The source region outline object 1110 and destination region outline object 1170 have content at multiple levels, with each level define by an indentation distance from a margin, in this example, the left margin of the outline objects 1110, 1170.

5 For example, content 1120 is at a first level, defined as level A in this example. The
example of display image 1100 has parenthetical expressions including the level
designation, such as expression 1130. Similarly, content 1140 and content 1150
represent content at level B and level C, respectively. The destination region outline
object 1170 is similarly formatted, with a prime symbol (') used in conjunction with a
10 letter expression to designate the outline level 1160.

As with any content in an electronic document 220, an outline object may have
distinct formatting characteristics, as seen with content 1180, where most of the text is
colored grey while the balance of the destination region outline object 1170 has text
characters with the font color attribute of black.

15 Figure 9b is a display image 1200 depicting text selected to be cut or copied from
a source region outline object 1110 in accordance with an exemplary embodiment of the
present invention. Referring to Figure 2, 3, and 9b, a portion 1210 of the content of the
source region outline object 1110 has been selected, such as by a pointing device 265, in
accordance with step 310 of the exemplary process 300. In the example of Figure 9b, the
20 user initiates a copy operation, by actuating a button on a toolbar or selecting an entry in
a menu. In response to this operation, the format module 215 determines, at step 330 of
process 300, the local and direct formatting associated with the selected text portion
1210.

Since the source region outline object 1110 is an outline object, the exemplary
25 process 300 determines local formatting based on content at the same level within the
source region as the selected content. In this example, one hundred percent of the content
in the source region outline object 1110, the source region, has font face Arial, font size
14 point, color black, not italicized and is not bolded. Greater than fifty percent of the
content in the source region outline object 1110 is not underlined. This characterization
30 is the local formatting for the source region outline object 1110. The direct formatting of
the selected text portion 1210 is associated with the characters in the selected text portion
1210. Some of these characters are underlined. Since the local formatting in the source
region outline object 1110 is not underlined, the format module 215 identifies the

5 characters in the portion **1210** that are underlined as emphasized, that is, they have direct formatting.

Once the user has performed the copy operation on the selected text portion **1210**, the insertion point **1220** is placed at a location that will receive the copied text portion **1210**. In this example, the insertion point **1220** is placed in the destination region outline object **1170**. The user would then initiate a paste command, such as by actuating a button on a toolbar or selecting an item in a menu.

In accordance with our exemplary process **300**, in response to the paste command, the format module **215** determines the local format for the destination region outline object **1170**. Since the destination region outline object **1170** is an outline object, the exemplary process **300** determines local formatting based on content at the same level within one or more outline objects within a destination region. One skilled in the art would appreciate that an alternative rule, such as using the characteristics of all of the levels within outline objects within a source or destination region when determining the local formatting for that region.

20 In this example, one hundred percent of the content of the destination region **850** is font face Arial, font size 14 point, and not italicized, and not bolded. Greater than fifty percent of the content of the destination region outline object **1170** is font color grey and not underlined. As such, the local formatting for the destination region **850** is font face Arial, font size 14, grey color, not italicized, not bolded, and not underlined.

25 When the local formats for the source region outline object **1110** and the destination region outline object **1170** are compared, as is done at step **360** of the exemplary process **300**, the differences between the source region outline object **1110** and the destination region outline object **1170** include the font color.

30 Figure 9c is a display image **1300** depicting text pasted into a destination region outline object **1170** in accordance with an exemplary embodiment of the present invention. Referring to Figures 2, 3, and 9c, in the display image **1300**, content **1320**, which corresponds to the selected text **1210** (Figure 9b), has been inserted into the destination region outline object **1170** at the insertion point **1220** (Figure 9b).

5 In accordance with the exemplary process 300, the format module 215 applied the
format attributes of the destination that were different then the format attributes of the
source to the selected text portion 1210. The font color of grey was applied to the
characters of the selected 1210 that were not marked with direct formatting, since the font
color attribute of level C' of the destination region outline object 1170 was different from
10 the font color attribute of level B of the source region outline object 1110.

Some of the characters of the content 1320 were marked with direct formatting
(the characters that make up the word "Arial"). In this example, the format module 215
determined that the emphasis of the characters that make up the word "Arial" in the
selected text portion 1210 (Figure 9b), which is underlined in the source region outline
15 object 1110, should be underlined when pasted into the destination region outline object
1170. As can be seen in display image 1300, the characters making up the word "Arial"
in the pasted content 1320 are emphasized compared to the surrounding content 1180.
Also, the format module 215 applied the font color of grey, since the format module 215
determined that this attribute was not associated with the emphasis of the charcters of the
20 word "Arial" in the selected portion of text 1210 (Figure 9b) and this attribute was
different in the destination region outline object 1170 as compared to the source region
outline object 1110.

One skilled in the art would appreciate that the present invention supports a
method for determining and applying format attributes associated with content in an
25 electronic document that is cut or copied from an electronic document and pasted into the
same or different electronic document. The determination may be based on the format
attributes of the content within a region of an electronic document containing the cut or
copied content and the format attributes of a region of content that includes the location
where the cut or copied text may be pasted. The method may determine and apply local
30 formatting that may be associated with the source region of content and the destination
region of content and direct, or emphasis formatting, that may be associated with content
that has been cut or copied.